

EVALUATION

**Circle the letter that corresponds to the best answer.**

1. Where does fermentation take place?
  - a. Stomach
  - b. Liver
  - c. Cecum
  - d. Large intestine
2. Approximately how much does a horse's stomach hold?
  - a. 5-10 quarts
  - b. 8-16 quarts
  - c. 55 quarts
  - d. 5 gallons
3. What does colic mean?
  - a. Abdominal discomfort
  - b. Tooth decay
  - c. Founder
  - d. None of the above
4. How often do horses naturally eat?
  - a. 2 times a day
  - b. 3 times a day
  - c. 4 times a day
  - d. Almost continually
5. How are nutritional requirements determined?
  - a. By the horse's size and age
  - b. By work load and breeding status
  - c. By stress level and quality of feed
  - d. All the above
6. How much time does the horse's stomach take to empty?
  - a. 6 hours
  - b. 12 hours
  - c. 24 hours
  - d. 72 hours

7. How much of its food can a horse break down?
  - a. 30 percent
  - b. 40 percent
  - c. 50 percent
  - d. 70 percent
8. What is the cheapest and most important nutrient?
  - a. Grains
  - b. Hay
  - c. Water
  - d. Minerals
9. The horse will drink as many as \_\_\_\_ gallons per day.
  - a. 5
  - b. 8
  - c. 12
  - d. 20
10. After a horse has been working hard and is hot, what should be done?
  - a. Let it drink as much as it wants.
  - b. Don't let it drink at all.
  - c. Let it have only small amounts of water.
  - d. None of the above
11. What are the two most common feeds for horses?
  - a. Oats and corn
  - b. Oats and rice
  - c. Corn and rice
  - d. Oats and milo
12. How much hay should a horse be fed per day?
  - a. 1 percent of its body weight
  - b. 5 percent of its body weight
  - c. 10 percent of its body weight
  - d. 50 percent of its body weight
13. What are the two most common diseases related to nutrition?
  - a. Epiphysis and worms
  - b. Colic and founder
  - c. Colic and worms
  - d. Founder and worms

14. What two nutrition-related problems are easy to avoid?

- a. Colic and founder
- b. Colic and worms
- c. Founder and worms
- d. Epiphysis and colic

15. Which is unimportant when determining which feeds are used?

- a. Availability
- b. Cost of feed stuff
- c. Health conditions
- d. Brand name